


# Towing Equipment & Accessories



Ring offer a comprehensive range of accessories, electrics and lighting products specifically designed for the towing of trailers, caravans, boat trailers, agricultural equipment and horse boxes.

Our experience extends to being a leading supplier to car, caravan, trailer and towbar manufacturers in the UK and worldwide.

All our products meet or exceed current European approvals for our OEM and aftermarket customers.





### When choosing and loading your trailer consider the following points very carefully.

- Check that the engine capacity is large enough to tow the trailer and load check with vehicle manufacturer.
- Check that the brakes are powerful enough to stop the vehicle and trailer safely. This should include the trailers braking ability. All trailers over 750kg need to have an overrun braking system.
- Check that the Trailer Gross Weight does not exceed the Towing Capacity of the vehicle.
- Check the recommended nose weight for your vehicle. This is likely to be between 50 and 100kgs. Only in the case of very light trailers should you have less than 50kg nose weight.











### A0005 12N Metal Socket (with Fog cut out)



• 12N 7 pin socket		
Comes with a rear fog light cut out option		
• Easy to fit		
Heavy duty metal casing for extra protection		
Product Dimensions (mm): H50 x D71 x W70		
Weight (kg):	0.134	
Voltage:	12V DC	

### A0028 12S Plastic Socket



• 12S 7 pin socket	
Connects internal caravan electrics to your car	
Product Dimensions (mm):	H59 x W72 x D72
Weight (kg):	0.088
Voltage:	12V DC

### A0013 12N 7 Pin Plastic Plug



• 12N 7 pin plastic plug	
Connects trailer road lights to towing vehicle	
Ideal for trailers, caravans and horseboxes	
H41 x W49 x D94	
0.074	
12V DC	

### A0006 12N 7 Pin Metal Plug



<ul> <li>12N 7 pin plug</li> </ul>	
Heavy duty metal casing for extra protection	
Product Dimensions (mm): H41 x W49 x D96	
Weight (kg):	0.1
Voltage:	12V DC

### A0008 12N Plastic Socket



• 12N 7 pin socket	
Lightweight plastic construction	
Product Dimensions (mm):	H51 x D71 x W72
Weight (kg):	0.088
Voltage:	12V DC

### A0012

### 12N Plastic Socket (with Fog cut out)



<ul> <li>12N 7 pin 12V plastic socket</li> </ul>		
Suitable for 12N towing electrics		
Connects trailer road lights to towing vehicle		
Rear fog light cut out option		
Product Dimensions (mm): H58 x W70 x D71		
Weight (kg):	0.09	
Voltage:	12V DC	

### A0023 12S 7 Pin Metal Plug



• 12S 7 pin plug	
Suitable for 12S towing electrics	
Heavy duty metal casing for extra protection	
Product Dimensions (mm): H43 x W49 x D96	
Weight (kg):	0.102
Voltage:	12V DC

### A0035 13 Pin / 7 Pin Socket Adaptor



• Adaptor for a 13 pin European socket to a

12V exterior lighting only		
H62 x W43 x D69		
0.084		
12V DC		

**12S Metal Socket** 

A0022



• 12S 7 pin plug	
Suitable for 12S towing electrics	
Heavy duty metal casing for extra protection	
Product Dimensions (mm):	H49 x D71 x W71
Weight (kg):	0.13
Voltage:	12V DC

### A0032

### 13 Pin Socket (with seal)



• 13 pin socket suitable for all towing electrics	
Nickel coated pins for better conductivity	
Product Dimensions (mm):	H55 x W65 x D72
Weight (kg):	0.148
Voltage:	12V DC

### A0029 12S 7 Pin Plastic Plug



lectrics	
lectrics	
Connects trailer road lights to towing vehicle	
Ideal for trailers, caravans and horseboxes	
Product Dimensions (mm): H42 x W52 x W94	
0.076	
12V DC	

#### A0018 12N 7 Pin Trailing Socket



• 12N 7 pin trailing socket		
Suitable for when extending 12N towing electrics		
Product Dimensions (mm): H161 x W98 x D56		
Weight (kg):	0.094	
Voltage:	12V DC	

### A0042 240V 16 Amp Mains Coupler



• 240V 16A mains hook-up	
Weatherproof connection	
Standard fit throughout camping and	
caravan sites in Europe	
Product Dimensions (mm):	H119 x W65 x D850
Weight (kg):	0.084
Voltage:	12V DC
·9	

### A0043

### 240V 16 Amp Mains Plug



• 240V 16A mains hook-up	
Standard fit throughout camping and	
caravan sites in Europe	
H50 x W49 x D113	
0.1	
12V DC	

### RCC120N 12N Coiled Cable Kit



12N pre-wired detachable     plug at each end	coiled cable with 12N
Complete with 12N socket and seal	
Product Dimensions (mm):	H45 x W440 x D45
Weight (kg):	0.5
Voltage:	12V DC

RCC120S 12S Coiled Cable Kit



• 12S pre-wired detachable cable with 12S plug either end	
Includes 12S socket and seal	
Product Dimensions (mm):	H45 x W440 x D45
Weight (kg):	0.608
Voltage:	12V DC

### A0033 13 Pin Plastic Plug



13 pin plug suitable for all towing electrics
 Nickel coated pins for better conductivity
Product Dimensions (mm): H98 x W48 x D59
Weight (kg): 0.144
Voltage: 12V DC

### A0038

**13 pin Trailer Socket Adaptor** 





Converts 13 pin plugs to fit 7 pin socket	
Suitable for 12N electrics	
12V exterior lighting	
Product Dimensions (mm):	H81 x W44 x D53
Weight (kg):	0.07
Voltage:	12V DC



Converts 12N or 12S electrics on a caravan/trailer to 13 pin
--

For 12V vehicles	
Product Dimensions (mm):	H64 x W56 x D595
Weight (kg):	0.476
Voltage:	12V DC

#### A0039 12N/S Trailer Plug Adaptor



Adaptor to attach a 12S or 12N socket to a 13 pin caravan plug
 Pre-wired for easy use
Product Dimensions (mm): H73 x W113 x D397
Weight (kg): 0.432
Voltage: 12V DC

### BCT849 13 Core 10m Cable (8x1.5mm, 5x2.5mm)



10m 13 core cable extension reel	
For use on towing vehicles/trailers	
Product Dimensions (mm):	H85 x W225 x D225
Weight (kg):	3.762
Voltage:	12V DC


### RCT770 2 Metre 12N 7 Core Cable (with connectors)



included
H8 x W8 x D200
0.04




### RCT100 12N Socket Kit (with Audible Relay)



• 12N 7 pin socket suitable for connection to trailers with a 12N plug	
Pre-wired - for easy fitment	
• 12N socket	
Mounting plate	
• 2m of 12N cable	
Audible sensor relay (RCT380)	
Includes grommet and connectors	
Connectors	H95 x W257 x D128
Weight (kg):	0.520
Voltage:	12V DC

### RSA395 12N Socket Assembly (with Relay)



for connection to
y fitment
elay, rubber grommet
H221 x W87 x D91
0.638
12V DC

### RSA500 13 Pin Socket Assembly (with Fog cut out)



. 10 m <sup>1</sup> m loot	tale for a second second
<ul> <li>13 pin socket assembly w</li> </ul>	ith tog cut out
<ul> <li>Suitable for caravans</li> </ul>	
· Pre-wired - quick and easy	y fitment
· Includes connectors and g	grommets
Product Dimensions (mm):	H58 x W215 x D79
Weight (kg):	0.99
Voltage:	12V DC

RSA175 12N Single Socket Assembly

• • • • • •


• 12N 7 pin socket suitable for connection to trailers with a 12N plug	
Pre-wired - for easy fitment	
Includes grommet and connectors	
Product Dimensions (mm):	H78 x W216 x D80
Weight (kg):	0.404
Voltage:	12V DC

### RSA490 12N/S Socket Assembly




<ul> <li>Twin sockets suitable for 12N and 12S plugs</li> </ul>		
Pre-wired - quick and easy fitment		
Includes fog cut out		
Comes with rubber grommets and connectors		
Product Dimensions (mm): H220 x W167 x D71		
Weight (kg):	1.16	
Voltage:	12V DC	

### RSA505 13 Pin Socket Assembly (with Relay)



• 13 pin socket assembly with audible relay and fog cut out	
Suitable for caravans	
Pre-wired - quick and easy fitment	
<ul> <li>Includes connectors and g</li> </ul>	grommets
Product Dimensions (mm): H215 x W76 x D58	
Weight (kg):	1.03
Voltage:	12V DC

RSA390 12N Socket Assembly (with Fog cut out)



• 12N 7 pin socket suitable for connection to trailers with a 12N plug	
Pre-wired - quick and easy fitment	
Includes fog cut out	
Includes rubber grommet and connectors	
Product Dimensions (mm): H97 x W222 x D97	
0.576	
12V DC	

### RSA495

### 12N/S Socket Assembly (with Relay)



• Twin sockets suitable for 12N and 12S plugs	
Pre-wired - quick and easy fitment	
Includes fog cut out	
Comes with audible sensor relay, rubber grommets and connectors	
Product Dimensions (mm): H218 x W154 x D73	
Weight (kg):	1.194
Voltage:	12V DC

### RCT360 12S Split Charge Relay (for use when charging a leisure battery)



Dual/split charge pre-wired relay for 12S towing electrics	
Adequate charge without discharging battery of towing vehicle	
Product Dimensions (mm): H52 x W47 x D34	
Weight (kg):	0.358

Voltage:

12V DC

RCT380 12N Audible Warning Sensor (rear fit)



• 12N sensor relay	
Audible warning device - check when indicators are working correctly	
Legal requirement	
Product Dimensions (mm): H52 x W47 x D34	
0.042	
12V DC	

### RCT465 12S Smart Combi Relay Controls charging of the auxiliary battery



• 12S smart combination relay	
• Cuts off power from vehicle to caravan battery and caravan fridge when no charge is available	
Suitable for multiplex and CANbus systems	
Product Dimensions (mm): H43 x W44 x D25	
Weight (kg):	0.04
Voltage:	12V DC

### RCT1630 240V 16 Amp UK Mains Adaptor



Pre-wired 240V	16A socket/coupler to 240V
13A UK plug	

• Suitable for connecting mains caravan electrics to internal 240V power supply, i.e. when at home, in garage etc.

Product Dimensions (mm):	H52 x W71 x D352
Weight (kg):	0.24
Voltage:	230V AC

### RCT401 12V LED Lamp Load Device



12V LED load device	
• Ensures upgrade LEDs are compatible with the vehicle	
IP67 - dust and waterproof	
• E-marked	
Product Dimensions (mm): H29 x W72 x D87	
Weight (kg):	0.202
Voltage:	12V DC

RCT485 12N Smart Logic Relay Controls trailer lighting without interfering with the vehicle lights



<ul> <li>12N smart logic bypass relay</li> </ul>	
Allows 12N electrics to be wired to vehicles with     multiplex and CANbus systems	
Includes warning buzzer	
Product Dimensions (mm): H25 x W83 x D53	
Weight (kg):	0.154
Voltage:	12V DC

#### RCT1650 Mains Extension 10m



• Pre-wired 240V 16A mains plug and socket/coupler to 10m of orange mains cable	
Fully weatherproof	
Essential for caravanners 'hook-up' on site	
Manufactured to BS4343 & BS6500 standard	
Product Dimensions (mm): H50 x W1000 x D65	
Weight (kg):	1.83
Voltage:	230V AC

### RCT402 24V LED Lamp Load Device



24V LED load device		
Ensures upgrade LEDs are compatible with the vehicle		
• IP67 - dust and waterproof		
• E-marked		
Product Dimensions (mm):	H29 x W72 x D87	
Weight (kg):	0.206	
Voltage:	12V DC	

### RCT760

### Socket Seal Kit (c/w bolts)



Socket seal and mounting kit		
Suitable for 12N and 12S sockets		
Waterproof seal		
<ul> <li>Includes nuts, bolts and gasket</li> </ul>		
Product Dimensions (mm):	H77 x W72 x D29	
Weight (kg):	0.04	

### RCT1660 Mains Extension 25m



 Pre-wired 240V 16A mains plug and socket/coupler to 25m of orange mains cable

|--|

Essential for caravanners 'hook-up' on site		
Manufactured to BS4343 & BS6500 standard		
Product Dimensions (mm): H50 x W2500 x D65		
Weight (kg):	4.174	
Voltage:	230V AC	



### RCT230 8" Trailer Mudguard Plastic

RCT235
10" Trailer Mudguard Plastic



<ul> <li>8" &amp; 10" wheel mud guard</li> </ul>		
Plastic		
Amber side reflectors (RCT235)		
Product Dimensions (mm):	H191 x W509 x D162 H518 x W518 x D140	
Weight (kg):	0.39 , 7.012	

### RCT220 400 x 8" Trailer Wheel/Tyre RCT225 520 x 10" Trailer Wheel/Tyre



Replacement trailer wheel and tyre		
Steel wheel		
Four ply tyre		
• 400 x 8" & 500 x 10"		
• E-marked		
Product Dimensions (mm):	H424 x W428 x D111	
	H517 x W517 x D142	
Weight (kg):	4.08 & 7.006 7.006	
Voltage:	12V DC	

### RCT600 Single Mounting Plate



<ul> <li>Mounting plate for 12N sockets</li> </ul>		
Suitable for 13 and 7 pin sockets		
Made from steel - durable and resistant to corrosion		
Black finish		
Suitable for most towballs		
Product Dimensions (mm):	H216 x W75 x D4	
Veight (kg):	0.132	

### 43mm Jockey Wheel Assembly RCT245 48mm Jockey Wheel Assembly

43mm & 48mm jockey wheel assembly		
Fully retractable		
Zinc-plated steel - corrosion resistant		
Includes clamps to attach to trailer chassis		
Product Dimensions (mm):	H849 x W256 x D136	
	H610 x W136 x D254	
Weight (kg):	6.114 & 5.334	
Load Rating:	300kg	

### RCT210 Trailer Coupling Head



Trailer coupling head		
Made from rust-resistant zinc passivated steel		
For trailers up to 750kg		
Fits all 50mm towballs		
Product Dimensions (mm): H126 x W270 x D81		
1.47		
Reg 55		

### RCT650 Double Mounting Plate



Mounting plate for 12N and 12S sockets		
Made from steel - durable and resistant to corrosion		
• Black finish		
Suitable for most towballs		
Product Dimensions (mm):	H220 x W165 x D1.6	
Weight (kg):	0.192	



### RCT680 Bumper Protection Plate (Large)




Mounting plate for 12N sockets		
Suitable for 13 and 7 pin sockets		
Made from steel - durable and resistant		
to corrosion		
• Black finish		
Suitable for most towballs		
Product Dimensions (mm):	H42 x W297 x D180	
Weight (kg):	0.66	

### RCT660 Bumper Protection Plate (Black coated steel)



Black steel coated plate	
Helps avoid bumper damage	
Corrosion resistant material	
• Easy to fit	
Product Dimensions (mm): H182 x W150 x D1	
Weight (kg): 0.466	





RCT752 Socket Cover Black PVC	RCT750 Towball Boot Black PVC	RCT751 Towball Boot with Reflector Black PVC
Socket cover for towing power sockets	Black PVC towball boot	Moulded protective cover     Over for towball and bolts
For 12N, 12S and 13 pin sockets     Black moulded PVC	Protects towball when not in use     Suitable for all 50mm towballs	Suitable for 50mm towballs     Reflector for safety
Product Dimensions (mm):     H67 x W83 x D80       Weight (kg):     0.054	Product Dimensions (mm):     H121 x W136 x D100       Weight (kg):     0.150	Product Dimensions (mm):         H133 x W137 x D102           Weight (kg):         0.140
RCT732 Standard Trailer Hitchlock Brass	RCT730 Universal Trailer Hitchlock Steel with Padlock	RCT731 Heavy Duty Trailer Hitchlock Steel
Standard hitchlock	Improves security for your trailer to help prevent theft	Universal fit     Fits most 50mm trailer hitch heads
Comes complete with two keys     Fits any coupling head with a suitable lock	Durable steel lock     Includes heavy duty padlock and three keys	Robust steel construction for added security     Pright values as visual deterrant
Brass construction	Fits most 50mm towing hitch couplings	Bright yellow as a visual deterrent     Comes with two keys
Product Dimensions (mm):H7 x W11 x D22Weight (kg):0.02	Product Dimensions (mm):       H154 x W124 x D53         Weight (kg):       0.790	Product Dimensions (mm):         H136 x W155 x D77           Weight (kg):         0.952
RCT1680 Two Way Spirit Level	RCT759 Fast Fit Breakaway Cable	RCT761 Breakaway Cable
		• Breakaway cable
	Breakaway cable     Fast fit - no tools required	Permanent fixing to the trailer
	Security collar at one end	Quick release carabina hook to attach to towing vehicle
Product Dimensions (mm):H58 x W43 x D13Weight (kg):0.012	Product Dimensions (mm):     H30 x W1020 x D6       Weight (kg):     0.09	Product Dimensions (mm):         H30 x W1020 x D6           Weight (kg):         0.068
RCT560 Rectangular Reflector Twin pack - Red RCT570		2x red, amber or white rear marker reflectors     Ideal to make large vehicles more visible     Easy to install
Twin pack - Amber		• E-marked Product Dimensions (mm): H51 x W106 x D8
RCT580	Act Base of Contract Street	Weight (kg):0.058E RegulationReg 3 (RCT560)
the pair time		

RCT450 Small Trailer Lamp		
E-Mark		
Four function trailer lamp		
• Brake, tail, indicator and n	umber plate lights	
• Small size		
• E-marked		
Product Dimensions (mm):	H104 x W97 x D53	
Weight (kg):	0.138	
Voltage:		
	12V DC	
E Regulation RCT456 Small	12V DC Various	
E Regulation RCT456		
E Regulation RCT456 Small Trailer Lamp 5 Function (E) EMark • Five function LED trailer la	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function E EMark • Five function LED trailer la • Brake tail, indicator, numb	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function (E) EMark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function (E) E-Mark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function (E) E-Mark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant • E-marked	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function Emarke • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant • E-marked • Suitable for 12V vehicles	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function E E-Mark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant • E-marked • Suitable for 12V vehicles Product Dimensions (mm):	Various Various	
E Regulation RCT456 Small Trailer Lamp 5 Function Emark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant • E-marked • Suitable for 12V vehicles Product Dimensions (mm): Weight (kg):	Various	
E Regulation RCT456 Small Trailer Lamp 5 Function E E-Mark • Five function LED trailer la • Brake tail, indicator, numb • Long life LED • Weather resistant • E-marked • Suitable for 12V vehicles Product Dimensions (mm):	Various Various	



• Large size	
• E-marked	
Comes with E-marked bull	bs fitted
Product Dimensions (mm):	H78 x W165 x D52
Weight (kg):	0.224
Voltage:	12V DC
E Regulation	Various

### RCT445 **Clear LED Trailer Lamp 5** Function E E-Mark

Five function LED trailer lamp		
Brake tail, indicator, number plate and reflector		
• Long life LED		
Weather resistant		
• E-marked		
Suitable for 12V vehicles		
Product Dimensions (mm):	H105 x W97 x D35	
Weight (kg):	0.176	
Voltage:	12V DC	
Wattage:	4W	
E Regulation	Various	

### RCT405 Large Trailer Lamp **4** Function



Four function trailer lamp	
Brake, tail, indicator and number plate lights	
Large size	
• E-marked	
Comes with E-marked bul	bs fitted
Product Dimensions (mm): H80 x W160 x D6	
Weight (kg):	0.200
Voltage:	12V DC
E Regulation Various	

### RCT475 LED Trailer Lamp **5** Function E

E-Mark



• Five function LED trailer la	Imp
• Stop, tail, indicator, and number plate light, plus reflectors for extra visibility	
Long life LED	
Weather resistant	
• E-marked	
Suitable for 12V vehicles	
Product Dimensions (mm):	H105 x W98 x D37
Weight (kg):	0.182
Voltage:	12V DC
E Regulation Various	

RCT495 LED Rear Fog Lamp		
E E-Mark		
• Rear fog lamp		
Long life LED		_
<ul> <li>Weather resistant</li> </ul>		_
• E-marked		_
Suitable for 12V vehicles		
• Matches RCT496 reversir	ig lamp	
Product Dimensions (mm):	H81 x W101 x D28	_
Weight (kg):	0.12	_
Voltage:	12V DC	_
Wattage:	4W	_
E Regulation	Reg 38	-

### RCT496 LED Reversing Lamp E E-Mark

<ul> <li>Reversing lamp</li> </ul>		
Long life LED		
Weather resistant		
• E-marked		
Suitable for 12V vehicles		
Matches RCT495 fog lamp		
Product Dimensions (mm):	H81 x W101 x D28	
Weight (kg):	0.114	
Voltage:	12V DC	
Wattage:	4W	
E Regulation	Reg 10 & REG 23	



RCT550 Triangular Refle	ctor
E Regulation	Reg 38
Wattage:	4W
Voltage:	12V DC
weight (kg).	0.12

anyu a Twin pack





2x red triangle reflectors	
Easy to install	
• E-marked	
· Mandatory requirement for	r the rear of all trailers
Product Dimensions (mm):	H137 x W158 x D9
Weight (kg):	0.138
E Regulation	Reg 3



E

E-Mark



### RCT777 Number Plate Lamp Chromed

 Chrome number plate lamp • E-marked Bulb included

Duib included	
Product Dimensions (mm):	H36 x W110 x D48
Weight (kg):	0.58
Voltage:	12V DC
Wattage:	5W
E Regulation	Reg 4

RCT780 Number Plate Lamp Large **E** E-Mark

-				
Large black number plate lamp				
• E-marked				
<ul> <li>Bulb included</li> </ul>				
Product Dimensions (mm):	H45 x W90 x D41			
Weight (kg):	0.68			
Voltage:	12V DC			
Wattage:	5W			
E Regulation	Reg 4			



m	E-Mark
Small black number plate	lamp
• E-marked	
Bulb included	
Product Dimensions (mm):	H48 x W68 x D33
Weight (kg):	0.5
Voltage:	12V DC
Wattage:	5W
E Regulation	Reg 4

RCT786		
Number Plate	Juli and a second	
Lamp	ginnan	(
10-30V		E

Sealed to be weather resistant				
H44 x W72 x D47				
0.044				
12V/24V DC				
1W				
Reg 4 & Reg 10				

### RCV3010

500mm LED Interior Strip Lamp			1998 -		
8	-		• 500mm strip interior light		
5 · · · · ·			• 20x LEDs - emits 280 lum	ens	
			<ul> <li>LED for long life and low p</li> </ul>	oower draw	
			Gives broad illumination		
			<ul> <li>IP67 - dust and water resi</li> </ul>	id water resistant	
8			Made from tough aluminium and polycarbonate		
B. C	1011		• 200mm cable		
-	12V	Reg 10	One year warranty		
	Voltage	Approved	Product Dimensions (mm):	H19 x W517 x D7	
			Weight (kg):	0.084	
	( <b>5</b> )	0	Voltage:	12V DC	
	Long life	Low power	Wattage:	4.8W	
RCV5012 300 mm LED Baton Lamp - No Switch			300mm baton light     12x LEDs - emits 400 lum     LED for long life and low p	oower draw	
300 mm LED Baton Lamp - With PIR			Dual voltage - suitable for     PIR sensor - motion sensor     light on and off (RCV5015)	ors automatically turn the	
300 mm LED Baton Lamp - With Switch		- )	Switch to manually turn or	and off (RCV5018)	
			IP67 - dust and waterproof		
	33		• Made from tough aluminiu	m and polycarbonate	
			• 200mm cable		
			Three year warranty		
			<ul> <li>Reg 10 approved</li> </ul>		
the second	10-30V	Reg 10	Product Dimensions (mm):	H35 x W382 x D24	
E III II	Dual voltage	Approved	Weight (kg):	0.114	
			Voltage:	12V/24V DC	
		0	Wattage:	6W	
				-	

E Regulation

Long life Low power

Reg 10

RC5021 10-30V Round Interior Lamp Switch			RC5024 10-30V Oval LE Interior Lamp - Switch		
RC5022 10-30V Round LED Interior Lamp - Touch Switch		RC5025 10-30V Oval LED Interior Lamp - Touch Switch			
• 130mm circular interio	r LED liaht	-	• 187mm oval interior LEI	D lamp	
Touch switch for easy		-	Touch switch for easy of		
Emits 600 lumens		-	Emits 425 lumens		
Wide 150° light spread	d	-	Wide 150° light spread		
4500K colour tempera			4500K colour temperate	re - crisp white light	
IP67 - dust and waterp		-	IP67 - dust and waterpr		
Long life and low power			Long life and low power		
• 200mm cable	51	-	200mm cable		
Reg 10 approved			Reg 10 approved		
Product Dimensions (mr	m): H130 x W130 x D21	- <b>10-30V</b> Reg 10	Product Dimensions (mm	): H65 x W185 x D19	10-30V Reg 10
Weight (kg):	0.248	 Dual voltage Approved	Weight (kg):	0.206	Dual voltage Approved
Voltage:	10-30V DC		Voltage:	10-30V DC	Duai voitage Approved
Wattage:	10W		Wattage:	7.2W	
E Regulation	Reg 10	Long life Low power	E Regulation	Reg 10	Long life Low power
		Long mo		-5	Long no
RC5009B 130mm 12V R Slimline LED I			LED Lamp RC5011B 220x100mm 12 Rectangular SI LED Lamp		
• 75mm & 130mm interi • Slim line - 12mm deep				ngular interior light (RC5010B) ngular interior light (RC5011B)	
• 16x LEDs - emits 70 lu			• 63x LEDs - emits 200 lu	umens (RC5010B)	
• 42x LEDs - emits 180 lumens (RC5009B)		• 60x LEDs - emits 200 lumens (RC5011B)			
LED for long life and low power draw		LED for long life and low	v power draw		
• IP66 - dust and water	jet proof		• IP66 - dust and water je	et proof	
• Reg 10 approved			<ul> <li>Reg 10 approved</li> </ul>		
Product Dimensions (mr	m): H75 x W75 x D9	<b>12V</b> Reg 10	Product Dimensions (mm	): H151 x W184 x D11	12V Reg 10
·	H131 x W127 x D11		· · · · · · · · · · · · · · · · · · ·	H101 x W218 x D12	Ŭ
Weight (kg):	0.026, 0.082	Voltage Approved	Weight (kg):	0.186, 0.15	Voltage Approved
Voltage:	12V DC		Voltage:	12V DC	
Wattage:	1W, 3W		Wattage:	3.6W, 3.2W	
E Regulation	Reg 10	Long life Low power	E Regulation	Reg 10	Long life Low power
RC7810 Premium Awn Lamp - Silver	ing		RC7811 Premium Awni Lamp - White	ng	
Product Dimensions (mr	n): H55 x W246 x D86	-	Product Dimensions (mm	): H55 x W246 x D86	

Weight (kg):

Voltage:

0.204

12V DC

Weight (kg):

Voltage:

0.204

12V DC



### RCT1410 **Towing Mirror Twin pack**

- Legal requirement when
- towing a caravan or large trailer
- Suitable for both driver and
- passenger side mirrors
- Easy-to-use: simply clip to existing mirrors
- Keep use of existing mirrors
- E-marked

### RCT1420 **Clear View Towing Mirror**

- Convex mirror for wider field of vision
- Suitable for fitting to most car door mirrors
- Fixing method minimises
- vibration for a clearer view Integral blind spot section on outside edge of mirror
- Three way adjustment for perfect positioning • E-marked

### RCT1430 **4x4 Towing Mirror**

- Easy universal fit with large adjustable arms for larger mirrors on vehicles such as
- 4x4's, motorhomes, and vans • Extends the field of rearward while retaining use of vehicle
- mirror Suitable for vehicle mirrors up to 285mm high
- E-marked

#### RCT1440 **Multi-fixing Towing Mirror**

- · Adjustable clamp system for
- multi vehicle fixing

Dual angle flat/convex lens for improved field of vision

- Fully adjustable mirror
- Improves rearward visibility
- when towing
- · Suitable for most vehicles
- Retains use of existing mirror
- E-marked

### RBGW430 **Wireless Digital** Reversing Camera System


- 4.3" colour TFT monitor
- Digital wireless video
- Suction cup mounting bracket
- Parking guidelines
- Optional second camera




















Your local stockist: