

# **Inspect with** confidence

LEDinspect® Inspection Light and Torch Range







### **High power:**

High power lights utilize the latest technology to provide a brighter, uniform wide angle light output compared with conventional LEDs. This allows a larger area of the engine bay to be illuminated

# Inspection Lights

Ring inspection lights are now OSRAM LEDinspect® in the UK. Same trusted quality; now under a global brand with 100 years of lighting excellence.

The name Ring, has long been synonymous with inspection lights in professional workshops.

From now on, all Ring inspection lights in the UK will be branded OSRAM LEDinspect®. This is a natural transition, as OSRAM, the parent company of Ring, brings over 100 years of expertise in automotive lighting.

OSRAM has set the standards for quality and innovation, trusted by professionals worldwide. The OSRAM brand offers mechanics the assurance of a century of engineering excellence, global recognition, and a name renowned for innovation. To help understand the change, please use the cross reference chart.



**ESSENTIAL Inspection Lights** 

Ring code	OSRAM code	Product name
RIL86	LEDIL408	LEDinspect® POCKET 200
RIL3600C	LEDIL412C	LEDinspect® TWIST 450
RIL3700C	LEDIL407	LEDinspect® UTILITY 1000
RIL3800C	LEDIL418	LEDinspect® SLIM 250
RIL4100	LEDIL410	LEDinspect® SLIM MAX 1000
RIL6100	LEDIL401	LEDinspect® MINI 250
RIL6300	LEDIL403	LEDinspect® SLIM 500
RIL6400	LEDIL404	LEDinspect® HEAD TORCH 250
RIL7100	LEDIL421	LEDinspect® WIRE FREE PRO 600
RIL7200	LEDIL422	LEDinspect® WIRE FREE SLIM 600
RIL7SINGLE	LEDIL423	LEDinspect® SINGLE CHARGING PAD
RIL7DUO	LEDIL424	LEDinspect® DUAL CHARGING PAD
RIL8100	LEDIL419	LEDinspect® TELESCOPIC 270
RIL0115	LEDIL414	LEDinspect® FLEXIBLE HEAD TORCH
RIL0265	LEDIL413	LEDinspect® WEARABLE NECK LIGHT
RUBL1500	LEDIL416	LEDinspect® FLEXIBLE INSPECTION LIGHT
	LEDIL417	LEDinspect® 3-IN-1 INSPECTION LIGHT KIT
	LEDIL430	LEDinspect® PRO TORCH 500
	LEDIL431	LEDinspect® PRO TORCH 800
	LEDIL432	LEDinspect® PRO TORCH 1200
RIL54	LEDIL425ESN-1HFB LEDIL425ESN	LEDinspect® POCKET 110 ESSENTIAL LEDinspect® POCKET 110 ESSENTIAL in a CDU
RIL91	LEDIL435ESNCDU	LEDinspect® MINI 140 ESSENTIAL in a CDU
RT5191	LEDIL433ESN	LEDinspect® HEAD TORCH 87 ESSENTIAL
RRL660	LEDIL426ESN-1HFB LEDIL426ESN	LEDinspect® TASK 180 ESSENTIAL LEDinspect® TASK 180 ESSENTIAL in a CDU
RWL600	LEDIL434ESN	LEDinspect® FLOODLIGHT 600 ESSENTIAL
	LEDIL427ESN	LEDinspect® TORCH 250 ESSENTIAL
	LEDIL428ESN	LEDinspect® TORCH 350 ESSENTIAL
	LEDIL429ESN	LEDinspect® TORCH 450 ESSENTIAL

### LEDinspect® TWIST 450

LEDIL412C



A lightweight and robust light with three output levels and twist function for full control over the direction of the light beam.

### **Features**

- Brightness: up to 450 lm (high),
   250 lm (low), 190 lm (torch)
- Cool-white colour (up to 6000 K)
- Multi-angle positioning: 180° flex and 360° twist
- Magnetic base, back and hanging hook
- Dust, water and shock resistant
- Protection classes: IP65, IK07

### **Benefits**

- Charging plug and cable included
- Battery life: up to 5 h on low,2.5 h on high
- 2-year guarantee1

# LEDinspect® 3-in-1 INSPECTION LIGHT KIT

LEDIL417



Multi-functional inspection light kit with innovative and adaptable lighting solutions for flexibility and performance.

### **Features**

- 4 lighting modes for each attachment high, mid, low, flash functions
- Torch lumen on high 500 lm
- Inspection lumen on high 450 lm
- Gooseneck lumen on high 160 lm
- Inspection Lamp has two hinge positions, which rotate 180° and 230° respectively
- Gooseneck attachment can be adjusted from spot to flood light
- Compact carry case and USB-C cable included

### **Benefits**

- Magnetic handle base allows for hands free use, Gooseneck perfect for retrieving screws or small objects in hard-to-reach places
- The rotation feature on the flexible Inspection light allows for use in tight angled spaces
- A spotlight gives a narrow powerful beam for more distant areas, with the flood light emitting a wider beam
- Efficient charge time
- 2-year guarantee<sup>1</sup>

A versatile inspection light, directing the light where needed. The light strip is fully flexible, allowing the light to bend around the workspace.

# LEDinspect® FLEXIBLE INSPECTION LIGHT





### **Features**

- Brightness: up to 1000 lm (high),
   400 lm (low) plus a red light option
- Multi-angle positioning: 160° twist
- Removable elasticated straps with hooks – extendable length up to 2.1m
- Magnets offer more fixing options
- Dust, water, and shock resistant
- Protection class: IK07


### Benefits

- USB-C cable included
- Battery life: up to 20 h on low,6.5 h on medium, 3 h high
- Flexible design
- 2-year guarantee1

# LEDinspect® POCKET 200

LEDIL408





A slim and lightweight rechargeable light with foldable design for working in confined and hard-to-reach spaces.

### **Features**

- Brightness: up to 200 lm (high),
   100 lm (low), 50 lm (torch)
- Cool-white colour (up to 6500 K)
- Multi-angle positioning: 180° flex and 360° twist
- Magnetic base
- Dust, water, and shock resistant
- Protection classes: IP20, IK07


- USB-C charging and charge status indicator
- Battery life: up to 3 h on low,1.5 h on high
- 2-year guarantee1

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee.

# LEDinspect® FLEXIBLE HEAD TORCH

LEDIL414





A head light with two light levels, flashing red rear LED warning light for safety and flexible, foldable design for easy storage and transport.

### **Features**

- Brightness: up to 115 lm (high),
   50 lm (low) and flashing
- Cool-white colour (up to 6000 K)
- Flexible and foldable
- Rear red warning light
- Dust, water, and shock resistant
- Protection classes: IP42, IK07

### **Benefits**

- USB Micro B charging
- Battery life: up to 5.5 h on low,
  4.5 h on high
- 2-year guarantee1

# LEDinspect® WIRE-FREE PRO 600

LEDIL421



A bright inspection light with the possibility to simplify recharging via a magnetic charging pad.

### **Features**

- Brightness: up to 600 lm (high), 100 lm (torch)
- Cool-white colour (up to 5700 K)
- Multi-angle positioning: 180° flex
- Magnetic base, back and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP65, IK08

### **Benefits**

- Battery charge status indicator, USB-C cable included
- Battery life: up to 10 h on torch,
  3 h on high, 2 h charging time
- Magnetic "Wire-Free" charging via charging pad
- 2-year guarantee1

# LEDinspect® WIRE-FREE SLIM 600

LEDIL422



A bright inspection light with the possibility to simplify recharging via a magnetic charging pad.

### **Features**

- Brightness: up to 600 lm (high), 100 lm (torch)
- Cool-white colour (up to 5700 K)
- Multi-angle positioning:
   180° flex and 270° twist
- Magnetic base, back and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP65, IK08


### **Benefits**

- Battery charge status indicator, USB-C cable included
- Battery life: up to 10 h on torch,
  3 h on high, 2 h charging time
- Magnetic "Wire-Free" charging via charging pad
- 2-year guarantee<sup>1</sup>

# LEDinspect® SINGLE CHARGING PAD

LEDIL423





A magnetic charging pad with one charge point to effortlessly charge one individual inspection light.

### **Features**

- Wire-Free charging capability
- "Daisy Chain" function
- Different mounting options
- Powerful magnets
- One charging point to charge one product on a single base


- Positive direct wire-free connection for charging
- Can link to another pad (single or duo) to charge more lights
- Can attach to a wall or metal surface
- Can easily support inspection light on metal surface
- 2-year guarantee<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee.

# LEDinspect® DUAL CHARGING PAD

LEDIL424





A magnetic charging pad with two charge points to effortlessly charge two individual inspection lights.

### **Features**

- Wire-Free charging capability
- "Daisy Chain" function
- Different mounting options
- Powerful magnets
- Two charging points to charge two products on a single base


### **Benefits**

- Positive direct wire-free connection for charging
- Can link to another pad (single or duo) to charge more lights
- Can attach to a wall or metal surface
- Can easily support inspection light on metal surface
- 2-year guarantee<sup>1</sup>

# LEDinspect® TELESCOPIC 270

LEDIL419





Rechargeable inspection light with torch, that offers broad illumination simply by extending the light.

### **Features**

- Brightness: 270 lm
- Cool-white colour (up to 6500 K)
- Telescopic design with switchable modes for broad illumination or a focused 65 lm torch beam
- Flexible and extendable
- Magnetic base and rotatable hook


### **Benefits**

- USB-C Charging
- Battery life: up to 3 h on high
- Hands-free operation perfect for automotive and workshop tasks
- 2-year guarantee1

# LEDinspect® SLIM MAX 1000

LEDIL410





This versatile, rechargeable work light with an integrated dimmer allows you to adjust the brightness level to your liking.

### **Features**

- Brightness: up to 1000 lm (high), 100 lm (low), 150 lm (torch)
- Cool-white colour (up to 6000 K)
- Multi-angle positioning: 120° flexibility
- Magnetic base, back and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP65, IK06


### **Benefits**

- USB-C charging and charge status indicator
- Battery life: up to 10.5 h on low,
  1.5 h on high
- 2-year guarantee<sup>1</sup>

# LEDinspect® UTILITY 1000

LEDIL407





A multi-functional inspection light with varying output levels suitable for handheld, flood light, or underbonnet applications.

### **Features**

- Brightness: up to 1000 lm (high), 400 lm (low)
- Cool-white colour (up to 6500 K)
- Multi-angle positioning: 180° flex and 360° twist
- Magnetic base, back and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP20, IK07

- 2 x charging plugs and charge status indicator
- Battery life: up to 6 h on low,
  2 h on high
- 2-year guarantee1

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee.

# LEDinspect® SLIM 250

LEDIL418





Rechargeable slim line inspection light with 180° flex positioning, built-in torch and magnet base and hook for hands free working.

A rechargeable light with three settings (high, low, and torch) and a non-slip,

### Features

- Brightness: up to 125 lm (high),
   20 lm (torch)
- Cool-white colour (up to 6500 K)
- Multi-angle positioning: 180° ratcheting mechanism and integrated hanging hook for precise light placement
- 2-in-1 torch function

dirt-repellent surface.

- Rechargeable

### **Benefits**

- USB-C charging
- Battery life: up to 5 h battery life on low. 3 h battery life on high
- 2-year guarantee1

# LEDinspect® MINI 250

LEDIL401







- Brightness: up to 250 lm (high),
   130 lm (low), 70 lm (torch)
- Cool-white colour (up to 6000 K)
- Multi-angle positioning: 180° flex
- Magnetic base and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP65, IK07


### **Benefits**

- USB-C charging and charge status indicator
- Battery life: up to 6 h on low,
  3 h on high
- 2-year guarantee1

# LEDinspect® SLIM 500

LEDIL403





**Features** 

Brightness: up to 500 lm (high), 250 lm (low), 70 lm (torch)

a non-slip, dirt-repellent surface.

- Cool-white colour (up to 6000 K)
- Multi-angle positioning: 180° flex and 270° twist
- Magnetic base and hanging hook
- Dust, water, and shock resistant
- Protection classes: IP54, IK07

### Benefits

An ultra-flat, rechargeable folding light with three settings (high, low, and torch) and

- USB-C charging and charge status indicator
- Battery life: up to 6 h on low,3.5 h on high
- 2-year guarantee1

### LEDinspect® HEAD TORCH 250

LEDIL404







A high-quality head light with two output levels, motion sensor, and adjustable strap with soft padding for optimal comfort.

### **Features**

- Brightness: up to 250 lm (high), 140 lm (low)
- Cool-white colour (up to 5700 K)
- Multi-angle positioning: 60° flex
- Dust, water, and shock resistant
- Protection classes: IP54, IK07


- USB-C charging
- Battery life: up to 6 h on low,3.5 h on high
- Integrated motion sensor technology
- 2-year guarantee1

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee.

# LEDinspect® WEARABLE NECK LIGHT

LEDIL413





A rechargeable neck light with two detachable torches, two light settings, and built-in magnet allows for convenient hands-free working.

### **Features**

- Brightness: up to 265 lm (high), 130 lm (low)
- Multi-angle positioning: 90° flex
- Built-in magnet for off-person mounting
- Dust, water, and shock resistant
- Protection classes: IP54, IK07

### **Benefits**

- 2 x USB Micro B charging ports
- Battery life: up to 4.5 h on low,
  3 h on high
- Separately powered torches with power button on each
- 2-year guarantee<sup>1</sup>

# LEDinspect® PRO TORCH 500

LEDIL430





Rechargeable LED torch with four lighting modes - High, Mid, Low, and Flash - making it adaptable to various tasks and environments.

### **Features**

- Brightness: up to 500 lm (high)
- 4 lighting modes: high, mid, low, flash
- Aluminium material with rubber grip on handle
- Protection class: IP44
- Battery life: up to 3 h on high,
   4 h on mid, 12 h on low
- Rechargeable: 3-4 h charging time


### **Benefits**

- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Beam distance 370 m
- Durable design, robust casing with ergonomic grip – good working time and charge time
- Rechargeable via USB-C
- 2-year guarantee1

# LEDinspect® PRO TORCH 800

LEDIL431





A powerful and durable rechargeable LED torch, with seamless adjustment between a wide flood beam and a focused spotlight.

### **Features**

- Brightness: up to 800 lm (high)
- 5 lighting modes: high, mid, low, flash, eco
- Aluminium material with rubber grip on handle
- Protection class: IP44
- Battery life: up to 2.5 h on high,
  5 h on mid, 8 h on low, 24 h on eco
- Rechargeable: 3-4 h charging time

### **Benefits**


- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Beam distance 450 m
- Durable design, robust casing with ergonomic grip – good working time and charge time
- Rechargeable via USB-C
- 2-year guarantee<sup>1</sup>

Premium, high-performance rechargeable LED torch with a wide flood beam and a precision spotlight, ensuring optimal visibility for any task.

### LEDinspect® PRO TORCH 1200

LEDIL432





### **Features**

- Brightness: up to 1200 lm (high)
- Uses high-powered LED technology
- 5 lighting modes: high, mid, low, flash, eco
- Aluminium material with rubber grip on handle
- Protection class: IP44
- Battery life: up to 4 h on high,6 h on mid, 12 h on low, 48 h on eco
- Rechargeable: 5-6 h charging time

- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Beam distance 680 m
- Durable design, robust casing with ergonomic grip – good working time and charge time
- Rechargeable via USB-C
- 2-year guarantee<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee

### **LEDinspect® HEAD TORCH 87 ESSENTIAL**

LEDIL433ESN



High performance head torch with a red LED flashing mode in case of emergencies, this head torch is ideal for work and leisure in dark environments.

### **Features**

- Brightness: 87 lm
- Beam length up to 57 m
- Red LED with flashing mode
- Adjust through 45° to focus on an area

### **Benefits**


- Powered by 3 x AAA batteries
- Battery life: up to 8 h
- 2-year guarantee1

### **LEDinspect® MINI 140 ESSENTIAL**

LEDIL435ESNCDU (x12 pieces)







Rechargeable mini LED Lamp, with a magnetic base for hands-free working and placement anywhere in the workshop or garage

Rechargeable floodlight with integrated powerbank to recharge mobile devices

### **Features**

- Brightness: 140 lm
- 180° flexible base for multi positions
- Built-in torch mode provides a focused beam for detailed inspection
- Magnetic base for secure placement

### **Benefits**


- USB-C charging
- Battery life: 2.5 h on high
- 2-year guarantee<sup>1</sup>

### **LEDinspect® FLOODLIGHT 600 ESSENTIAL**

LEDIL434ESN







while working.

### **Features**

- Brightness: 600 lm (high) and 300 lm (low)
- Ratchet handle to use as a stand to angle light
- Compact and lightweight
- Integrated USB powerbank function


### **Benefits**

- USB-C charging
- Battery life: 6.5 h on low
- 2-year guarantee<sup>1</sup>

### **LEDinspect® TASK 180 ESSENTIAL**

LEDIL426ESN-1HFB LEDIL426ESN (x12 pieces)





A practical inspection light, with a magnet and a rotating hook for working hands-free.

### **Features**

- Brightness: up to 180 lm (high)
- Cool-white colour (up to 6500 K)
- 360-degree rotating hook and integrated magnet
- Protection classes: IP20


- Powered by 3 x AA batteries
- Battery life: up to 5 h
- 2-year guarantee1

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee

# LEDinspect® POCKET 110 ESSENTIAL

LEDIL425ESN-1HFB LEDIL425ESN (x12 pieces)





A practical inspection light, with a magnet and a swivel pocket clip for working hands-free.

### **Features**

- Brightness: up to 110 lm (high)
- Cool-white colour (up to 6500 K)
- Swivel pocket clip and integrated magnet
- Protection classes: IP20

### **Benefits**

- Powered by 3 x AAA batteries
- Battery life: up to 7 h
- 2-year guarantee1

# LEDinspect® TORCH 250 ESSENTIAL

LEDIL427ESN



A versatile and durable LED torch designed for convenience, the built-in pocket clip, keeps the torch securely within reach.

### **Features**

- Brightness: up to 250 lm (high)
- With zoom function
- 3 lighting modes: high, low, flash
- Pocket clip
- Aluminium material
- Protection class: IP44
- Battery life: up to 2 h on high, 6 h on low, 2x AAA batteries

### **Benefits**

- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Compact and practical clip to attach to shirt or trouser pocket
- Robust casing
- Batteries included
- 2-year guarantee1

# LEDinspect® TORCH 350 ESSENTIAL

LEDIL428ESN



A reliable and high-performance LED torch, with three lighting modes – High, Low and Flash.

### **Features**

- Brightness: up to 350 lm (high)
- With zoom function
- 3 lighting modes: high, low, flash
- Aluminium material with rubber grip on handle
- Protection class: IP44
- Battery life: up to 2.5 h on high, 13 h on low, 2x AA batteries


### **Benefits**

- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Robust casing with ergonomic grip
- Batteries included
- 2-year guarantee<sup>1</sup>

# LEDinspect® TORCH 450 ESSENTIAL

LEDIL429ESN





A compact yet powerful LED torch, crafted from lightweight aluminium with a rubber grip handle, for durability and a comfort.

### Features

- Brightness: up to 450 lm (high)
- With zoom function
- 3 lighting modes: high, low, flash
- Aluminium material with rubber grip on handle
- Protection class: IP44
- Battery life: up to 2.5 h on high, 17 h on low, 3x AAA batteries

- Bright clear light
- Zoom function to direct the light and switch between flood and spotlight
- Robust casing with ergonomic grip
- Batteries included
- 2-year guarantee<sup>1</sup>

<sup>&</sup>lt;sup>1</sup> For precise conditions please refer to www.osram.com/am-guarantee

## LEDinspect® – Product portfolio



### **LEDinspect®**


Product number	Product name	EAN	Max lumen output (lm)	Min lumen output (lm)	Torch lumer output (Im)	n Lighting modes	Rating IP/IK	Recharge- able	Max oper- ating time (h)	Power supply	Guarantee (year)
LEDIL412C	TWIST 450	4062172 <b>410809</b>	450	250	190	2	65/07	Yes	5	USB-C	2
LEDIL417	3-IN-1 INSPECTION LIGHT KIT	4062172 <b>415989</b>	500/450/160	100/140/75	500/100	4	N/A	Yes	7 - Torch	USB-C	2
LEDIL416	FLEXIBLE INSPECTION	4062172 <b>405959</b>	1000	100	N/A	N/A	07	Yes	20	USB-C	2
LEDIL408	POCKET 200	4052899 <b>623897</b>	200	100	50	N/A	20/07	Yes	3	USB-C	2
LEDIL414	FLEXIBLE HEAD TORCH	4052899 <b>630994</b>	115	50	N/A	N/A	42	Yes	5.5	USB Micro B	2
LEDIL421	WIRE FREE PRO 600	4062172 <b>393126</b>	600	N/A	100	N/A	65/08	Yes	10	USB-C	2
LEDIL422	WIRE FREE SLIM 600	4062172 <b>393140</b>	600	N/A	100	N/A	65/08	Yes	10	USB-C	2
LEDIL423	SINGLE CHARGING PAD	4062172 <b>393164</b>	N/A	N/A	N/A	N/A	20/08	N/A	N/A	USB-C	2
LEDIL424	DUAL CHARGING PAD	4062172 <b>393188</b>	N/A	N/A	N/A	N/A	20/08	N/A	N/A	USB-C	2
LEDIL419	TELESCOPIC 270	4062172 <b>424127</b>	270	N/A	65	2	N/A	Yes	3	USB-C	2
LEDIL410	SLIM MAX 1000	4062172 <b>355674</b>	1000	100	150	N/A	65/06	Yes	8	USB-C	2
LEDIL407	UTILITY 1000	4062172 <b>338356</b>	1000	400	N/A	N/A	20/07	Yes	6	USB-C	2
LEDIL418	SLIM 250	4062172 <b>424103</b>	250	125	20	3	N/A	Yes	5	USB-C	2
LEDIL401	MINI 250	4062172 <b>418720</b>	250	130	70	N/A	65/07	Yes	6	USB-C	2
LEDIL403	SLIM 500	4062172 <b>418812</b>	500	250	70	N/A	54/07	Yes	6	USB-C	2





### **LEDinspect®**

Product number	Product name	EAN	Max lumen output (lm)	Min lumen output (Im)	Torch lumen output (lm)	Lighting modes	Rating IP/IK	Recharge- able	Max oper- ating time (h)	Power supply	Guarantee (year)
LEDIL404	HEAD TORCH 250	4062172 <b>354875</b>	250	140	N/A	N/A	54/07	Yes	6	USB-C	2
LEDIL413	WEARABLE NECK LIGHT	4052899 <b>630987</b>	265	130	265	N/A	54/07	Yes	4.5	USB Micro B	2
LEDIL430	PRO TORCH 500	4062172 <b>416108</b>	N/A	N/A	500	4	44	Yes	12	USB-C	2
LEDIL431	PRO TORCH 800	4062172 <b>416139</b>	N/A	N/A	800	5	44	Yes	24	USB-C	2
LEDIL432	PRO TORCH 1200	4062172 <b>416160</b>	N/A	N/A	1200	5	44	Yes	48	USB-C	2
LEDIL433ESN	HEAD TORCH 87 ESSENTIAL	4062172 <b>423991</b>	87	N/A	N/A	4	N/A	No	8	3 x AAA	2
LEDIL435ESNCDU	MINI 140 ESSENTIAL	4062172 <b>424073</b>	140	N/A	N/A	3	N/A	Yes	2.5	USB-C	2
LEDIL434ESN	FLOODLIGHT 600 ESSENTIAL	4062172 <b>424011</b>	600	300	N/A	2	N/A	Yes	6.5	USB-C	2
LEDIL426ESN-1HFB / LEDIL426ESN	TASK 110 ESSENTIAL	4062172 <b>418799</b> / 4062172 <b>409728</b>	180	N/A	N/A	N/A	20	No	5	3x AA	2
LEDIL425ESN-1HFB / LEDIL425ESN	POCKET 110 ESSENTIAL	4062172 <b>418768</b> / 4062172 <b>409704</b>	110	N/A	N/A	N/A	20	No	7	3x AAA	2
LEDIL427ESN	TORCH 250 ESSENTIAL	4062172 <b>415811</b>	N/A	N/A	250	3	44	No	6	2x AAA	2
LEDIL428ESN	TORCH 350 ESSENTIAL	4062172 <b>416047</b>	N/A	N/A	350	3	44	No	13	2x AA	2
LEDIL429ESN	TORCH 450 ESSENTIAL	4062172 <b>416078</b>	N/A	N/A	450	3	44	No	17	3x AAA	2



# OSRAM LEDInspect® UK Catalogue 2025

# More from OSRAM Automotive

### Stay up to date.

Follow OSRAM Automotive on social media

### **Facebook**

www.facebook.com/osramautomotive





### Instagram

www.instagram.com/osram.automotive





### YouTube

www.osram.com/am-youtube





Ring is the distribution partner of OSRAM products in the UK:

Gelderd Road Leeds LS12 6NA Tel: 0113 213 7389 Email: ordering@ringautomotive.com



